

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/072,535	02/08/2002	Donald Lutrario	3412	
7590 07/02/2004			EXAMINER	
Donald Lutrai			PIAZZA CORCORAN, GLADYS JOSEFINA	
Staten Island, NY 10309			ART UNIT	PAPER NUMBER
			1733	

DATE MAILED: 07/02/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

			1/2
	Application No.	Applicant(s)	- (/ <u> </u>
	10/072,535	LUTRARIO, DONALD	
Office Action Summary	Examiner	Art Unit	
	Gladys J Piazza Corcoran	1733	
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with t	he correspondence address	
A SHORTENED STATUTORY PERIOD FOR REP THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a re If NO period for reply is specified above, the maximum statutory perior - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the maili earned patent term adjustment. See 37 CFR 1.704(b).		be timely filed) days will be considered timely. from the mailing date of this communication. ONED (35 U.S.C. & 133).	
Status			
1) Responsive to communication(s) filed on 19.	<u> April 2004</u> .		
2a) This action is FINAL . 2b) ⊠ Th	is action is non-final.		
3) Since this application is in condition for allow	ance except for formal matters,	prosecution as to the merits is	
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 11	, 453 O.G. 213.	
Disposition of Claims			
4) Claim(s) 1-5 and 7-11 is/are pending in the a 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-5 and 7-11 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/ Application Papers 9) The specification is objected to by the Examination of the drawing(s) filed on is/are: a) acceptable and applicant may not request that any objection to the	awn from consideration. for election requirement. her. cepted or b) □ objected to by the		
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E			
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat* See the attached detailed Office action for a list	nts have been received. Its have been received in Applic Ority documents have been received Tau (PCT Rule 17.2(a)).	cation No eived in this National Stage	
Attachment(s)			
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	4) Interview Summ Paper No(s)/Ma 5) Notice of Inform 6) Other:		

Art Unit: 1733

DETAILED ACTION

Drawings

1. New corrected drawings are required in this application with the proposed corrections filed on April 19, 2004 which have been approved. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance. It is noted that Replacement Drawing sheets were not found in the electronic copy of the filing on April 19, 2004.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement figures which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments, or remarks, section of the amendment. Any replacement drawing sheet must be identified in the top margin as "Replacement Sheet" and include all of the figures appearing on the immediate prior version of the sheet, even though only one figure may be amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin.

Annotated Drawing Sheets

Art Unit: 1733

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheets must be clearly labeled as "Annotated Marked-up Drawings" and accompany the replacement sheets.

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

Specification

- 2. It is noted that Applicant submitted amendments to the Specification in the response filed April 19, 2004 that would overcome the objections below if filed in the proper format (with replacement paragraphs) as set forth in 37 CFR 1.121.
 - 4. Amendments to the Specification
 Amendments to the specification are to be made by presenting a replacement
 paragraph, section or substitute specification marked up to show changes made
 relative to the immediate prior version. The changes should be shown by
 strikethrough (for deleted matter) or underlining (for added matter). An
 accompanying clean version is not required and should not be presented.
- 3. The disclosure is objected to because of the following informalities:
 - The Specification on page 12, line 4 recites "any other type item 34", which should be --any other type item <u>36</u>--.

The Specification on page 12, line 12 recites "vacuum formed acrylic or plastic 38", which should be --vacuum formed acrylic or plastic 40--.

Art Unit: 1733

The Specification on page 12, line 14 recites "vacuum formed acrylic or plastic 38", which should be --vacuum formed acrylic or plastic 40--.

The Specification on page 12, line 15 recites "simulated stained-glass 10", which should be --simulated stained-glass 12--.

Appropriate correction is required.

Claim Amendments

4. It is noted that the Amendments to the claims must include claim identifiers for all the claims, including original claims not currently amended (which would have the identifiers of (previously presented) as set forth in 37 CFR 1.121.

A)Amendments to the claims:

Each amendment document that includes a change to an existing claim, cancellation of a claim or submission of a new claim, must include a complete listing of all claims in the application. After each claim number in the listing, the status must be indicated in a parenthetical expression, and the text of each pending claim (with markings to show current changes)must be presented. The claims in the listing will replace all prior claims in the application. (1)The current status of all of the claims in the application, including any previously canceled, not entered or withdrawn claims, must be given in a parenthetical expression following the claim number using only one of the following seven status identifiers:(original),(currently amended),(canceled),(withdrawn),(new),(previously presented) and (not entered). The text of all pending claims, including withdrawn claims, must be submitted each time any claim is amended. Canceled and not entered claims must be indicated by only the claim number and status, without presenting the text of the claims.

A sample amendment document and Q's and A's are posted on the USPTO's website at

http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/moreinfoamdtprac.htm.

Art Unit: 1733

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1-5, 7-11 are rejected under 35 U.S.C. 103(a) as obvious over Ridge (US Patent No. 6,138,433) in view of Frost (GB 2314530 A) and Butler (US Patent No. 4,438,165) and further in view of Kaefer (US Patent No. 5,411,780) and/or Pavone (US Patent No. 4,318,946) as further taken with Wright (US Patent No. 2,335,139) and/or Spengler et al. (US Patent No. 4,923,539).

Ridge discloses a method of making a simulated stained-glass (decorative sheet 40 is considered to be simulated stained glass as it is simulated to give the illusion of a hand made art crafted window (column 6, lines 1-15), colored (column 6, lines 15-20) and has simulated lead caming (column 6, lines 47-50)) by providing a vacuum mold die (apparatus 50) having a working surface (master 42A), forming a series of completely flat and smooth, raised and elongated areas on the working surface (bars 44A; column 4, lines 37-57), laying a sheet of acrylic or plastic (column 4, lines 15-16) over the working surface of the vacuum mold die (column 4, lines 58-63), vacuum forming the sheet so as to form a sheet of vacuum formed acrylic or plastic having recessed flats on a mold facing surface and raised flats on an ambient facing surface that oppose the recessed flats (column 4, line 63 to column 5, line 17), gluing lead caming strips (the caming strips are of metal to simulate lead) to the recessed flats on the mold facing

Art Unit: 1733

surface of the sheet of vacuum formed acrylic or plastic thus forming the piece of simulated stained glass (column 6, lines 47-58).

Ridge discloses that the caming strips are adhered with a suitable adhesive but does not specifically recite, "pressure sensitive self-stick lead strips". It is considered well known in the art to provide simulated caming in the stained glass art with "pressure sensitive self-stick lead strips". Frost is cited to show an example of providing simulating caming on a vacuum formed sheet for making simulated stained glass where the caming is self-adhesive lead strips (considered to be pressure sensitive due to the self adhesiveness, otherwise such would have been well within the purview of one of ordinary skill in the art). It would have been obvious to one of ordinary skill in the art at the time of the invention to provide the method of forming the simulated glass as shown in Ridge by using pressure sensitive self-stick lead strips as the simulated caming as is considered well known in the art and further exemplified by Frost.

Ridge appears to only disclose applying the simulated caming to one side of the simulated glass sheet, however it is well known in the art to provide simulated caming on simulated stained glass sheets on both sides of the sheet (which would include the raised flats of the ambient-facing surface of the sheet of vacuum formed acrylic or plastic) in order to provide the decorative effect on both sides of the sheet. For example, Butler discloses a method of forming simulated stained glass where lead caming strips are applied to the reverse side of the pane coincidental with the first strip in order to provide the visibility of the strips from both sides (column 3, lines 20-25; column 4, lines 13-21). It would have been obvious to one of ordinary skill in the art at

Art Unit: 1733

the time of the invention to form the simulated glass of Ridge by applying self-stick lead strips to both sides of the flats formed in the sheet in order to provide the look of simulated leaded glass on both sides of the sheet as is considered well known in the art and further exemplified by Butler, particularly since the sheet in Ridge is for viewing from both sides (column 7, lines 35-38).

As to the limitation in claim 1 of laying acrylic jewels on the working surface of the vacuum mold die, it is considered well known in the art to decorate stained glass and simulated stained glass with items such as acrylic jewels and glass pieces (for claims 7 and 10). For example, Kaefer discloses decorating stained glass with almost any light weight item such as blown glass or jewels by attaching to the stained glass (column 6, line 13-17). Pavone also discloses an example of decorating simulated stained glass by adding to the upper surface light refracting or reflecting members or bits such as prisms or mirrors (typically made of glass or acrylic) or a plastic member (column 2, lines 1-5; column 5, lines 25-30) to further enhance the appearance of the panels (column 1, lines 63-68; column 4, lines 36-48). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to form the simulated stained-glass as shown by Ridge, Frost and Butler by providing well known decorative elements such as acrylic jewels and glass (for claims 7 and 10) in order to further decorate the simulated glass as is considered well known and further exemplified by Kaefer and/or Pavone. However, these references do not specifically disclose how to apply the decorative elements to the stained glass.

Art Unit: 1733

It is also well known in the art to provide decorative materials to vacuum formed sheets by laying the decorative items on the working surface of the vacuum die prior to laying the sheet on the working surface in order to adhere the items to the sheet during vacuum forming. For example, Wright discloses a method of applying decorative ornaments onto the working surface of a vacuum die prior to placing the sheet to be vacuum formed in order to adhere the ornaments to the sheet. Spengler also discloses another example of placing decorative trim components onto the working surface of a vacuum die prior to placing the sheet to be vacuum formed in order to bond the trim components to the sheet with less steps. It would have been obvious to one of ordinary skill in the art at the time of the invention to form the simulated stained glass as shown in Ridge, Frost and Butler by laying the decorative items such as acrylic jewels and glass (for claims 7 and 10) on the working surface of the vacuum die after the first forming step as it is well known in the art to provide decorative items to stained glass in order to provide an enhanced decorative surface as exemplified by Kaefer and/or Pavone, and as it is well known in the art to bond decorative items to vacuum formed sheets by laying the items on the working surface just prior to placing the sheet on the surface in order to reduce the method steps of bonding afterwards as exemplified by Wright and/or Spengler et al.

As to claim 7, as discussed above, it is also known to provide glass decorative items on stained glass as shown by Kaefer and/or Pavone and it would have been well within the purview of one of ordinary skill in the art to decorate the stained glass with both acrylic jewels and glass, only the expected results would be attained. As to claim

Art Unit: 1733

8, the decorative materials as discussed above are considered items. As to claims 911, as shown by the references Wright and/or Spengler it would have been obvious to
one of ordinary skill in the art that the vacuum forming step would attach the acrylic
jewels, glass and items onto the sheet of acrylic or plastic by being sucked into the
sheet for added effects.

As to claim 2, Ridge discloses providing the working surface simulating a texture of a piece of stained glass (column 1, lines 65-68; column 5, lines 15-17; column 6, lines 8-14; column 6, lines 60-65). As to claims 3-5, Ridge discloses providing the surface of the working surface with an engraved pattern in order to provide the sheet with simulated surface texture of glass pieces such as beveling, marbling, frosting, etc. It would have been well within the purview of one of ordinary skill in the art at the time of the invention to provide well known patterns such as water glass, granite glass, and beveled diamonds to the working surface in Ridge in order to provide well known textures to the vacuum formed sheet. Only the expected results would be attained.

7. Claims 2-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ridge in view of Frost, Butler, Kaefer and/or Pavone, Wright and/or Spengler et al. as applied to claim 1 above, and further in view of Powell (US Patent No. 3,382,134).

Ridge is considered to read on the limitations of providing the vacuum mold die having a working surface simulating a texture of a piece of stained glass, as discussed in reference to claim 2 above and it is considered to be obvious to provide the patterns of water glass, granite glass and beveled diamonds, as discussed in reference to claims 3-5 above. However, Powell is cited to further show that it is known in the art to provide

Art Unit: 1733

a working surface in a vacuum mold die with a surface texture that simulates textures of stained glass (column 4, lines 1-5; 45-50). It would have been well within the purview of one of ordinary skill in the art at the time of the invention to provide well known patterns such as water glass, granite glass, and beveled diamonds to the working surface in Ridge, Frost, Butler, Kaefer and/or Pavone, Wright and/or Spengler in order to provide well known textures to the vacuum formed sheet as further exemplified by Powell. Only the expected results would be attained.

Response to Arguments

8. Applicant's arguments filed April 19, 2004 have been fully considered but they are not persuasive. Applicant argues that claims 6-11 should be allowable since they were not rejected with art rejections. Claims 6-11 were rejected with art rejections under paragraph 10 of the previous Office Action. However, the heading of the paragraph included a typographical error that recited claims 2-5 instead of claims 6-11. Consequently this Action will not be considered Final even though the rejection was originally presented in the prior Office Action.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gladys J Piazza Corcoran whose telephone number is (571) 272-1214. The examiner can normally be reached on M-F 8am-5:30pm (alternate Fridays off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Blaine Copenheaver can be reached on (571) 272-1156. The fax phone

Art Unit: 1733

number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Examiner

Art Unit 1733

GJPC